

試驗報告

號碼：KI/2020/40125

日期：2020/04/16

頁數：1 of 3

盈昌科技工業股份有限公司
臺南市安南區鹽田里工業五路30號

以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下：

樣品名稱	:	硫酸銅
收件日期	:	2020/04/08.
測試期間	:	2020/04/08 TO 2020/04/16
送樣廠商	:	盈昌科技工業股份有限公司

測試結果：請見下一頁。

報告簽署人/張俊雄 副理
化學實驗室-高雄



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

試驗報告

號碼：KI/2020/40125

日期：2020/04/16

頁數：2 of 3

盈昌科技工業股份有限公司

臺南市安南區鹽田里工業五路30號

測試部位 NO.1

： 硫酸銅

測試項目	單位	測試方法	方法偵測 極限值	結果
				NO.1
銅	wt%	參考 CNS 2199(1963) 方法	-	25.40
汞	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
砷	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
鉛	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
鉻	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
鋅	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
鎳	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
鎘	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	n. d.
鐵	wt%	參考USEPA 3050b-1996方法, 用感應耦合電漿原子發射光譜儀檢測	0.0010	0.00116

- 備註： 1. mg/kg = ppm ; 0.1wt% = 1000ppm
 2. n. d. = Not Detected / 未檢出
 3. MDL = Method Detection Limit / 方法偵測極限值
 4. "-" = Not Regulated / 無規格值

試驗報告

號碼：KI/2020/40125

日期：2020/04/16

頁數：3 of 3

盈昌科技工業股份有限公司
臺南市安南區鹽田里工業五路30號

KI/2020/40125



** 報告結尾 **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.